


4-K**PRODUCT IDENTIFIER****SIGNAL WORD:****WARNING
NOTICIA****BOSS FIRE
STOP****GHS Hazard Statement**

INGESTION: No first aid should be needed.

SKIN: Wash affected area with soap and water.

Immediately flush with large amounts of .


RESPIRATORY: Remove to fresh air. If symptoms persist, obtain appropriate medical attention.

EYES: Immediately flush with large ampunts of water. If irritaion occurs seek medical attention.

Soudal Accumetric

350 Ring Road Elizabethtown, KY, 42701 USA

Emergency Phone (800) 424-9300 CHEMTREC

**GHS Classification and Pictograms- NONE****HEALTH
HAZARDS**


NONE


**PHYSICAL
HAZARDS**

NONE

**ENVIRONMENTAL
HAZARDS**

NONE

**TARGET ORGAN
EFFECTS****FIRE
FIGHTING
EQUIPMENT
ABC****PPE - EPP****FIRST
AID****EYES:** Flush eyes with plenty of water.**SKIN:** Remove clothing Wash exposed skin with soap and water.**INGESTION:** If a large amount is swallowed, get medical attention**INHALATION:** Give artificial respiration if nor breathing. If breathing is difficult oxygen should be administered.



Safety Data Sheet

BOSS® 814 Intumescent Firestop Sealant

Section 1. Identification

Product Identifier	BOSS® 814 Intumescent Firestop Sealant
Synonyms	81450; 81429; 81420; 81410
Manufacturer Stock Numbers	C39038RD; 03419RD10; 03479RD17; 03469RD10; 03471RD01

Recommended use	Refer to Technical Information
Uses advised against	Refer to Technical Information

Manufacturer Contact Address	Soudal Accumetric 350 Ring Road Elizabethtown, KY, 42701 USA
------------------------------	---

Phone	Emergency Phone	Fax
(270) 769-3385	(800) 424-9300 CHEMTREC	(270) 765-2412

Section 2. Hazards Identification

Classification	N/A
Signal Word	
Pictogram	
Hazard Statements	N/A
Precautionary Statements	
Response	N/A
Prevention	N/A
Storage	N/A
Disposal	N/A
General	If medical advice is needed, have product container or label at hand Keep out of reach of children

diked material can be pumped, store recovered material in appropriate container. For small spills, wipe up or scrape up and contain for salvage or disposal. Clean area as appropriate since spilled material, even in small quantities, may present a slip hazard. Final cleaning may require the use of steam, solvents or detergents. Dispose of saturated absorbent or cleaning materials appropriately, since spontaneous heating may occur.

Local, state and federal laws and regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which federal, state and local laws and regulations are applicable. Sections 13 and 15 of this MSDS provide information regarding certain federal and state requirements.

Section 7. Handling and Storage

Handling	Avoid breathing vapors in top of shipping container. Keep container closed. Use with adequate ventilation. Avoid contact with skin and clothing. Wash thoroughly after handling.
Storage	Store in a cool dry place. Protect from freezing and excessive heat.

Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits	Ingredient Name				ACGIH TLV OSHA PEL STEL		
	Distillates (petroleum), hydrotreated middle				5 mg/m3	5 mg/m3	10 mg/m3
	Dipropylene glycol dibenzoate				N/A	N/A	N/A
Personal Protective Equipment	Goggles						
Engineering Controls	Local Ventilation: Recommended General Ventilation: Recommended						
Ventilation	Local exhaust ventilation is recommended to maintain vapor level below TLV.						
Respiratory Protection	Use respiratory protection unless adequate exhaust ventilation is provided or exposure assessment demonstrates that exposures are within exposure guidelines. Industrial Hygiene Personnel can assist in judging the adequacy of existing engineering controls.						
	Suitable Respirator: General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits as determined by air sampling or are unknown, appropriate respiratory protection should be worn. Follow OSHA Respirator Regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators.						
Eye Protection	Chemical goggles if liquid contact is likely, or safety glasses with side shields.						
Skin Protection	Wash at mealtimes and end of shift. Contaminated clothing and shoes should be removed as soon as practical and thoroughly cleaned before reuse. Chemical protective gloves are recommended.						

Suitable Gloves:

Chemical Stability	Stable
Hazardous polymerization	Will not occur
Conditions to Avoid	None known
Materials to Avoid / Incompatibility	None known

Section 11. Toxicological Information

Component Toxicology Information	No known applicable information.
Special Hazard Information on Components	No known applicable information.

Section 12. Ecological Information

Environmental Effects	Complete information is not yet available.
Environmental Fate and Distribution	Complete information is not yet available.
Fate and Effects in Waste Water Treatment Plants	Complete information is not yet available.

Section 13. Disposal

Waste Disposal Method	We make no guarantee or warranty of any kind that the use or disposal of this product complies with all local, state, or federal laws. It is also the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes.
-----------------------	---

This product is not known to be regulated under RCRA regulations. Disposal of unused portions of this product and process waste containing this product should be done only after a careful evaluation and in compliance with all federal, local and state laws.

Section 14. Transport Information

UN Number	N/A
UN Proper Shipping Name	Not regulated
DOT Classification	Not regulated
Packing Group	Not regulated
Air Shipment (IATA)	Not subject to IATA regulations.
Ocean Shipment (IMDG)	Not subject to IMDG code.
Road Shipment Information (DOT)	Not subject to DOT regulations.

Section 15. Regulatory Information