4-B

PRODUCT IDENTIFIER

SIGNAL WORD:

WARNING AVISO

DAPP ALEX PLUS 35 YR CAULK

GHS Hazard Statement

Self-heating. May catch fire.

INGESTION: May be harmful if swallowed. SKIN: May be Harmful in contact with skin. RESPIRATORY: May cause respiratory

irritation. Toxic if inhaled.

EYES: CAT 2A- Causes Serious eye

irritation.



GHS Classification and Pictograms

HEALTH HAZARDS



3



PHYSICAL HAZARDS



3

ENVIRONMENTAL HAZARDS

NONE

TARGET ORGAN EFFECTS













AID

FIRE FIGHTING EQUIPMENT ABC

PPE EPP



FIRST EYES: Flush eyes with plenty of water. SKIN: Wash exposed skin

INGESTION: No inhalation hazard.

INHALATION: Give artificial respiration if nor breathing. If breathing is difficult oxygen should be administered.

Revision Date: 6/19/2015 SDS Number: 00010002001



Safety Data Sheet

24 Hour Emergency Phone Numbers Medical/Poison Control:

In U.S.: Call 1-800-222-1222

Outside U.S.: Call your local poison control center

Transportation/National Response Center:

> 1-800-535-5053 1-352-323-3500

NOTE: The National ResponseCenter emergency numbers to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving chemicals.

IMPORTANT: Provide this information to employees, customers, and users of this product. Read this SDS before handling or disposing of this product. This product is covered by the OSHA Hazard Communication Standard and this document has been prepared in accordance with requirements of this standard. All abbreviated terms used in this MSDS are further described in Section 16.

1. Identification

This Material Safety Data Sheet is available in American Spanish upon request. Los Datos de Serguridad del Producto pueden obtenerse en Espanol si lo riquiere.

Product Name:

Alex Plus Acrylic Latex Caulk Plus Silicone -

Revision Date:

6/19/2015

Product UPC Number:

11440, 18101, 18107, 18109, 18110, 18111,

18112, 18128, 18135, 18136, 18155, 18172

Supercedes Date:

3/27/2012

Product Use/Class:

Caulking Compound

All Colors

SDS No:

00010002001

Manufacturer:

DAP Products Inc.

2400 Boston Street Suite 200 Baltimore, MD 21224-4723

888-327-8477 (non - emergency matters)

Preparer:

Regulatory Department

2. Hazards Identification

EMERGENCY OVERVIEW: Under normal use conditions, this product is not expected to cause adverse health effects.

GHS Classification

Not a hazardous substance or mixture.

Symbol(s) of Product

None

Signal Word

Not a hazardous substance or mixture.

3. Composition/Information on Ingredients

Chemical Name Limestone

64741-88-4 Petroleum distillates

CAS-No. 1317-65-3

Wt. % GHS Symbols 50-75 GHS03 1.0-2.5 GHS03-GHS06 **GHS Statements**

H270 H270-331 SDS Number: 00010002001 Revision Date: 6/19/2015

Further Advice: MEL = Maximum Exposure Limit OES = Occupational Exposure Standard SUP = Supplier's Recommendation Sk = Skin Sensitizer N.E. = Not Established

Personal Protection



RESPIRATORY PROTECTION: No personal respiratory protective equipment normally required. National Institute for Occupational Safety and Health (NIOSH) has recommended that the permissible exposure limit be changed to 50 micrograms respirable free silica per cubic meter of air (0.05 mg/m3) as determined by a full shift sample up to 10-hour work shift.



SKIN PROTECTION: Rubber gloves.



EYE PROTECTION: Goggles or safety glasses with side shields.



OTHER PROTECTIVE EQUIPMENT: Not required under normal use.



HYGIENIC PRACTICES: Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing before re-use.

Physical State:

Odor Threshold:

Viscosity (mPa.s):

Explosive Limits, %:

Flash Method:

Vapor Pressure, mmHg:

Partition Coeff., n-octanol/water:

Auto-Ignition Temperature, °C

pH:

Paste

Not Established

Not Established

Not Established

Not Established

No Information

Seta Closed Cup

N.I. - N.I.

Between 7.0 and 12.0

Physical and Chemical Properties

Appearance:

Odor:

Density, g/cm3:

Freeze Point. °C:

Solubility in Water:

Decomposition Temperature, °C: Boiling Range, °C:

Evaporation Rate:

Minimum Flash Point, °C:

Vapor Density:

Combustibility:

Colored

Very Slight Ammonia

1.64 - 1.67

Not Established

Not Established

Not Established

N.I. - N.I.

93.3

Slower Than n-Butyl Acetate

Heavier Than Air

Does not support combustion

(See "Other information" Section for abbreviation legend)

(If product is an aerosol, the flash point stated above is that of the propellant.)

Stability and Reactivity

STABILITY: Stable under recommended storage conditions.

CONDITIONS TO AVOID: Excessive heat and freezing.

INCOMPATIBILITY: Incompatible with strong bases and oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Normal decomposition products, i.e., COx, NOx.

Toxicological Information

EFFECT OF OVEREXPOSURE - INHALATION: Under normal use conditions, this product is not expected to cause adverse health effects. Inhalation of vapors in high concentration may cause mild irritation of respiratory system (nose, mouth, mucous membranes).

EFFECT OF OVEREXPOSURE - SKIN CONTACT: Under normal use conditions, this product is not expected to cause adverse Page 3/6 SDS Number: 00010002001 Revision Date: 6/19/2015

15. Regulatory Information

U.S. Federal Regulations:

CERCLA - SARA Hazard Category

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Acute Health Hazard, Chronic Health Hazard

SARA SECTION 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

No Sara 313 components exist in this product.

TOXIC SUBSTANCES CONTROL ACT:

All ingredients in this product are either on TSCA inventory list, or otherwise exempt.

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

No TSCA 12(b) components exist in this product.

CALIFORNIA PROPOSITION 65 CARCINOGENS

WARNING: This product contains chemicals known to the State of California to cause cancer.

CALIFORNIA PROPOSITION 65 REPRODUCTIVE TOXINS

This product does not contain any chemicals known to the State of California to cause birth defects or other reproductive harm.

International Regulations: As follows -

CANADIAN WHMIS:

This MSDS has been prepared in compliance with Controlled Product Regulations except for the use of the 16 headings.

WHMIS Class

Consumer Commodity

16. Other Information

Revision Date:

6/19/2015

Supersedes Date:

3/27/2012

Reason for revision:

HazCom2012/GHS Conversion

Datasheet produced by:

Regulatory Department

HMIS Ratings:

Flammability: Health: 1

Reactivity:

Personal Protection:

VOC Less Water Less Exempt Solvent, g/L42.6

VOC Material, g/L:31

VOC as Defined by California Consumer Product Regulation, Wt/Wt%:0.8

Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

H270 May cause or intensify fire; oxidiser.

Harmful if swallowed. H302

H312 Harmful in contact with skin.

H331 Toxic if inhaled.